

1. Maxton serial number _____

2. Flanges

COMPLETE FOR UC4/ UC4M /UC4MR:			
Type of Flanges:	Pump	Jack	Tank
2" NPT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2" Grooved	<input type="checkbox"/>	* <input type="checkbox"/>	* <input type="checkbox"/>
* The THD to GRV Adaptor is available for an additional charge			

COMPLETE FOR UC1A/UC2A:			
Type of Flanges:	Pump	Jack	Tank
2" NPT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.5" NPT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2" Grooved	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2.5" Grooved	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
*3" Grooved <small>+ not recommended for UC2A</small>	+ <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
* 3" GRV flanges are available for an			

3. Coils

Coil Voltage (select one) 120 VAC *240 VAC *115 VDC *185 VAC

* 115 VDC, 240 VAC, and 185 VAC are available for an additional charge

4. Optional Products

Optional Products:	QTY	Optional Products:	Size	QTY
Low Pressure Switch (PSNO-2)		TDF1 (125 GPM) Tank Discharge Filter	<input type="checkbox"/> 2" NPT <input type="checkbox"/> 2" Grooved	
Quick Disconnect Coupling (1/8" NPT)		TDF2 (250 GPM) Tank Discharge Filter	<input type="checkbox"/> 2" NPT <input type="checkbox"/> 2" Grooved	
Quick Disconnect Nipples (1/8" NPT)		Isolation Coupling	<input type="checkbox"/> 2" NPT <input type="checkbox"/> 2" Grooved	
MAXGLIDE OIL ADDITIVE, 1 Gallon (Eliminates stick slip / chatter)			<input type="checkbox"/> 2.5" Grooved <input type="checkbox"/> 3" Grooved	
SafeTach2 Elevator Performance Meter		Shut Off Ball Valves	<input type="checkbox"/> 2" NPT <input type="checkbox"/> 2" Grooved <input type="checkbox"/> BV1-4A	
			<input type="checkbox"/> 2.5" NPT <input type="checkbox"/> 2.5" Grooved <input type="checkbox"/> BV1-8A	
			<input type="checkbox"/> 3" Grooved <input type="checkbox"/> BV3/4	

Remember: You can order on-line or size valves on our website @ www.maxtonvalve.com

24 hrs. a day, 7 days a week! For assistance contact Sales at (775) 782-1700

Name: _____ Phone #: _____

Company Name: _____ Fax #: _____

Bill To City Address: _____

Shipping Address: _____

PO# or Credit Card # _____ Name on Credit Card: _____

Shipping Instructions: _____ Credit Card Expiration Date _____

(UPS ground service can take up to 6 business days depending on your location)

Certifications
Maxton is ISO 9001:2015 certified and all main line products are CSAB44 and/or UL Listed.

